SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/3

MOULDPRO DIAMOND COMPOUND

Revision 8 Revision date 2011-05-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Mouldpro DIAMOND COMPOUND MPD
i ioddol iidiiio	Modiapio Bir iniciab comi comb mi B

1.3. Details of the supplier of the safety data sheet

Company

Address

Mouldpro ApS

Baltorpbakken 10

2750 Ballerup

Denmark

Web Telephone www.mouldpro.com

+45 70 20 31 31

Email sales@mouldpro.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard
--------------	-----------------------

2.3. Other hazards

Other hazards

Contact with the eyes should be avoided due to the abrasive nature of the product. May cause

skin irritation on prolongued contact.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ceteareth-10		68439-49-6			10 - 20%	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Seek medical attention.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention. May cause irritation to eyes.
Skin contact	May cause irritation to skin. Wash with soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink 1 to 2 glasses of water. Seek medical attention.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Wash all contaminated clothing before reuse.

MOULDPRO DIAMOND COMPOUND

Revision 8
Revision date 2011-05-13

	Revision date 2011-05-
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam. Use extinguishing media
	appropriate to the surrounding fire conditions.
5.2. Special hazards arising fro	
	Toxic Fumes and Dust may be formed in fire conditions.
5.3. Advice for firefighters	
	Wear:. Self-contained breathing apparatus.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Sweep up.
6.2. Environmental precautions	
	Do not allow product to enter drains. Do not flush into surface water.
6.3. Methods and material for c	ontainment and cleaning up
	Clean area thoroughly with detergent. Clean spillage area thoroughly with plenty of water.
	Transfer to suitable, labelled containers for disposal.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handli	ng
	Avoid contact with eyes and skin. Wear suitable protective equipment.
7.2. Conditions for safe storage	, including any incompatibilities
	Keep in a cool, dry, well ventilated area. Store in original container. Do NOT allow to freeze.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	rols/personal protection
8.2. Exposure controls	
8.2.1. Appropriate	Encure adequate ventilation of the working area
engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling,
measures	carrying and dispensing.
Eye / face protection	Safety glasses. Avoid contact with eyes.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection Respiratory protection	Not normally required. Wear suitable respiratory equipment when necessary.
SECTION 9: Physical and cl	· ·
9.1. Information on basic physic	cal and chemical properties
State	Paste
Colour	· · ·
Relative density	1.05 g/ml Approx
Water solubility	T
	Slightly Miscible.
SECTION 10: Stability and r	eactivity
10.2. Chemical stability	
	Will not decompose if stored and used as recommended.
10.3. Possibility of hazardous re	· · · · · · · · · · · · · · · · · · ·

MOULDPRO DIAMOND COMPOUND

Revision 8
Revision date 2011-05-13

	Revision date 2011-05-
10.3. Possibility of hazardou	s reactions
	Strong oxidising agents.
10.4. Conditions to avoid	
	Do NOT allow to freeze. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicologic	al information
11.1. Information on toxicolo	gical effects
Skin corrosion/irritation	May cause irritation to eyes. May cause irritation to skin. Risk of serious damage to eyes.
Respiratory or skin sensitisation	No sensitizaton effects reported.
Repeated or prolonged exposure	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
SECTION 12: Ecological	information
12.1. Toxicity	
	No data is available on this product.
SECTION 13: Disposal co	preiderations
General information	DI SIGEI ALIOI IS
	Can be incinerated if in compliance with local and national regulations. Dispose of in compliance with all local and national regulations.
Disposal of packaging	with all local and flational regulations.
Diopodai oi padiaging	Empty containers can be sent to landfill after cleaning, if in compliance with local and national
	regulations.
SECTION 14: Transport i	nformation
Further information	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory	information
Labelling	
	The product is classified in accordance with 67/548/EEC.
Risk phrases	No Significant Hazard.
Safety phrases	S24/25 - Avoid contact with skin and eyes.
SECTION 16: Other infor	mation
Other information	
Revision	This document differs from the previous version in the following areas:.
COVICION	9 - 9.1. Information on basic physical and chemical properties (State).
	9 - 9.1. Information on basic physical and chemical properties (Colour).
Text of risk phrases in	R22 - Harmful if swallowed.
Section 3	R36/38 - Irritating to eyes and skin.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.